



STATE OF FLORIDA

TELECOMMUNICATIONS EQUIPMENT - PRIVATE AUTOMATED BRANCH EXCHANGE

CONTRACT NO: 730-650-99-1
EFFECTIVE: FEBRUARY 17, 1999 THROUGH FEBRUARY 16, 2004

BASELINE 1

NORTEL OPTION 11C

\$ 10,900.00

EQUIPPED WITH

16 Trunks/ 62 Stations/ 1 Consoles

WITH A CAPACITY OF

36 Trunks/ 110 Stations/ 1 Consoles



SPRINT

TELECOMMUNICATIONS EQUIPMENT - PRIVATE AUTOMATIC BRANCH EXCHANGE
Universal Port Type Architecture¹ Baseline System
(Equipped and Wired)
System Configuration

Baseline	<u>1</u>
System Manufacturer	<u>Nortel</u>
System Model #	<u>Option 11C</u>
FCC Registration #	<u>AB6982-62937</u> <u>-PF-E(PBX)</u>
Ringer Equivalent	<u>1.1B</u>
Capacity - (#) Trunks/Stations/ Consoles ²	<u>36/110/ 1</u>
Capacity-(#) Ports ²	<u>148</u>
Equipped - (#) Trunks/Stations/ Consoles ³	<u>16/ 62/ 1</u>
Occupied Ports ⁴	<u>64</u>
Unused Port Space in Baseline ⁵	<u>4 Cd Slots</u>
Baseline Purchase Price (Equipped and Wired) (See 3.1-3.24 & 3.28)	<u>\$ 10,900.00</u> (1-B)

(Circle Service Area(s) bid for each configuration, see Map - Appendix C)	Western	Western	Western	Western
	Northern	Northern	Northern	Northern
	Central	Central	Central	Central
	Southern	Southern	Southern	Southern
	(Service Area)	(Service Area)	(Service Area)	(Service Area)

Note 1: Sprint has bid on each Baseline configuration covering all 4 service areas.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

Voice Terminal, Single Line (VTSL)

(See 3.25.1)

	<u>Part Number</u>	<u>Unit Purchase Price</u>
A. Industry Standard Generic Analog Type 2500 with Flash	Premier 2500 <u>44-MBA-20F</u>	\$ <u>71.00</u>
B. Industry Standard Generic Analog With Feature Buttons	M8009 <u>A040589</u>	\$ <u>82.00</u> (1-1)
C. Proprietary Analog	<u>N/A</u>	\$ <u>N/A</u> (1-2)*
D. Proprietary Digital	M2006 <u>NT9K05AA35</u>	\$ <u>129.95</u> (1-2)*
E. Non-Proprietary Analog	<u>N/A</u>	\$ <u>N/A</u> (1-2)*

Voice Terminal Multi-line

Appearance (VTMLA)

(See 3.25.2)

A. "KSU less" Type Analog	M8417 <u>A0400051</u>	\$ <u>152.81</u> (1-3)
B. Proprietary Analog	<u>N/A</u>	\$ <u>N/A</u> (1-4)**
C. Proprietary Digital	M2008 <u>NT9K08AA35</u>	\$ <u>154.44</u> (1-4)**

Station Wiring Run Types

(See 3.25.3)

A. <u>Inside Building</u>			<u>Cost Per Foot</u>
Type 1	4 Pair Standard	<u>Gen Cable - 7023120</u>	\$ <u>.45</u> /Ft. (1-5)
Type 2	25 Pair Standard	<u>Gen Cable - 2133032</u>	\$ <u>.96</u> /Ft.
Type 3	4 Pair Air Plenum	<u>Gen Cable - 2131269</u>	\$ <u>.51</u> /Ft. (1-6)
Type 4	25 Pair Air Plenum	<u>Gen Cable - 2131256</u>	\$ <u>1.25</u> /Ft.

NOTE: FOR ADDITIONAL STATION WIRING, CABLING ITEMS AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG.

*One of these items must be bid. If either of these items cannot be provided, a proprietary analog or digital VTMLA must be bid in lieu thereof.

**One of these items must be bid.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

	<u>Part Number</u>	<u>Unit Purchase Price</u>
B. <u>Inside Wiring</u>		
<u>Category 5 Wiring</u>		
a. Cat 5, Air Plenum 4 Pair (w/RJ45S Jack)	<u>Gen Cable – 2131278</u>	\$ <u> .90</u>
b. Cat 5, Dual Air Plenum, 4 Pair (w/RJ45S Jacks)	<u>Gen Cable – 2131278</u>	\$ <u> 1.50</u>
c. Cat 5, Std PVC, 4 Pair (w/RJ45S Jack)	<u>Gen Cable – 2131299</u>	\$ <u> .75</u>
d. Cat 5, Std PVC, 4 Pair (w/RJ45S Jacks)	<u>Gen Cable – 2131299</u>	\$ <u> 1.40</u>
e. Cat 5, Air Plenum, 25 Pair	<u>Gen Cable – 2133550</u>	\$ <u> 2.55</u>
f. Cat 5, Std PVC, 25 Pair	<u>Gen Cable – 2133269</u>	\$ <u> 2.25</u>
C. <u>Inside Wiring / Misc Equipment</u>		
a. 110 Wiring Blocks (100 Pair block)	<u>110A WI-100</u>	\$ <u> 49.50</u>
b. 110 Wiring Blocks (300 Pair block)	<u>110A WI-300</u>	\$ <u> 125.50</u>
c. 110 Connecting Blocks (100 Pair block)	<u>1104-C</u>	\$ <u> 7.50</u>
C. Modular 10BaseT Patch Panel (24 Port Panel w/110 Blocks on Back)		
	<u>ATT146375</u>	\$ <u> 169.00</u>
E. Modular 10BaseT Patch Panel (48 Port Panel w/110 Blocks on Back)		
	<u>ATT146377</u>	\$ <u> 349.00</u>
F. Modular 10BaseT Patch Panel (96 Port Panel w/110 Blocks on Back)		
	<u>ATT146378</u>	\$ <u> 499.00</u>
G. Wall Mount Kit (24 Port Panel) (3" Wall Hinged Rack)		
	<u>ATT104345</u>	\$ <u> 49.00</u>
H. Wall Mount Kit (24 Port Panel) (5" Wall Hinged Rack)		
	<u>ATT103907</u>	\$ <u> 49.00</u>
I. Wall Mount Kit (24 Port Panel) (10" Wall Hinged Rack)		
	<u>ATT113514</u>	\$ <u> 49.00</u>
J. Category 5 Patch Cord (1 Ft.) (RJ45S/RJ45S)	<u>ATT143983</u>	\$ <u> 4.95</u>



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

MISC WIRE & CABLE, CONNECTOR BLOCKS & MISC EQUIPMENT (Con/t)

	<u>Part Number</u>	<u>Unit Purchase Price</u>
K. Category 5 Patch Cord (3 Ft.) (RJ45S/RJ45S)	<u>ATT143984</u>	\$ <u>5.95</u>
L. Category 5 Patch Cord (6 Ft.) (RJ45S/RJ45S)	<u>ATT143985</u>	\$ <u>6.95</u>
M. 110 Patch Panel Designation Strips (Pkg of 6)	<u>ATT073093</u>	\$ <u>3.00</u>
N. Quad Face Plate	<u>ATT143984</u>	\$ <u>1.50</u>
O. RJ45S Jack/Category 5	<u>ATT149934</u>	\$ <u>8.95</u>
P. Universal 19" Rack (19" x 7' Free Standing Rack w/ Ground Bar)	<u>NS961668</u>	\$ <u>249.50</u>

INSIDE BUILDING

	<u>Manufacturer / Part Number</u>	<u>Price Per Run Per Foot</u>
a. 25 Pair CMR/Riser Rated	<u>Gen Cable – 2019000</u>	\$ <u>1.95</u>
b. 50 Pair CMR/Riser Rated	<u>Gen Cable – 2019001</u>	\$ <u>2.95</u>
c. 100 Pair CMR/Riser Rated	<u>Gen Cable – 7507601</u>	\$ <u>4.95</u>

CATEGORY 5 WIRING:

a. Cat 5, Air Plenum 4 Pair (w/RJ45S Jack)	<u>Gen Cable – 2131278</u>	\$ <u>.90</u>
b. Cat 5, Dual Air Plenum, 4 Pr (w/RJ45S Jacks)	<u>Gen Cable – 2131278</u>	\$ <u>1.50</u>
c. Cat 5, Std PVC, 4 Pair (w/RJ45S Jack)	<u>Gen Cable – 2131299</u>	\$ <u>.75</u>
d. Cat 5, Std PVC, 4 Pair (w/RJ45S Jacks)	<u>Gen Cable – 2131299</u>	\$ <u>1.40</u>
e. Cat 5, Air Plenum, 25 Pair	<u>Gen Cable – 2133550</u>	\$ <u>2.55</u>
f. Cat 5, Std PVC, 25 Pair	<u>Gen Cable – 2133269</u>	\$ <u>2.25</u>
g. Type 66 Block	<u>66-M150</u>	\$ <u>13.00 ea</u>
h. Protector Module	<u>TSP-200</u>	\$ <u>12.50 ea</u>



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

MISC WIRE & CABLE, CONNECTOR BLOCKS & MISC EQUIPMENT (Con/t)

i.	Protector Module (Digital Phones)	<u>COHP-50</u>	\$ <u>19.95 ea</u>
j.	Protector	<u>66-M150 w/ M-GR</u>	\$ <u>13.00 ea</u>
k.	Patch Panel 12 Pt C-5 110 / 568B)	<u>Leviton – N/S 449685</u>	\$ <u>117.63</u>
l.	Patch Panel 24 Pt C-5 110 / 568B)	<u>Leviton – N/S 449257</u>	\$ <u>196.50</u>
m.	Patch Panel 48 Pt C-5 110 / 568B)	<u>Leviton – N/S 449258</u>	\$ <u>300.98</u>
n.	Patch Panel 96 Pt C-5 110 / 568B)	<u>Leviton – N/S 449259</u>	\$ <u>512.77</u>
o.	110 Wiring Blocks (100 Pair Block)	<u>AT&T –771956</u>	\$ <u>59.50</u>
p.	110 Connecting Blocks (300 Pair Block)	<u>AT&T –775023</u>	\$ <u>135.00</u>
q.	110 Wiring Blocks (Per Pkg of 10 Blocks)	<u>AT&T –771328</u>	\$ <u>8.50</u>
r.	Modular to Telco Patch Panel (24 Port Panel w/RJ45S Connections)	<u>Ortrontics – 8080044225</u>	\$ <u>169.00</u>
s.	Modular to Telco Patch Panel (48 Port Panel w/RJ45S Connections)	<u>Ortrontics – 8080044140</u>	\$ <u>349.00</u>
t.	Modular to Telco Patch Panel (96 Port Panel w/RJ45S Connections)	<u>Ortrontics – 8080044141</u>	\$ <u>499.00</u>
u.	Wall mount Kit (24 Port Panel) (3.5" Universal Wall Hinged Rack)	<u>Leviton / N/S 442085</u>	\$ <u>59.00</u>
v.	Wall mount Kit (24 Port Panel) (5.25" Universal Wall Hinged Rack)	<u>Leviton / N/S 442084</u>	\$ <u>69.00</u>
w.	Wall mount Kit (24 Port Panel) (7" Universal Wall Hinged Rack)	<u>Leviton / N/S 442084</u>	\$ <u>79.00</u>
x.	Wall mount Kit (24 Port Panel) (10" Universal Wall Hinged Rack)	<u>Leviton / N/S 442516</u>	\$ <u>89.00</u>
y.	Wall mount Kit (24 Port Panel) (7" Universal Wall Hinged Rack)	<u>Leviton / N/S 442084</u>	\$ <u>79.00</u>
z.	Wall mount Kit (24 Port Panel) (10" Universal Wall Hinged Rack)	<u>Leviton / N/S 442516</u>	\$ <u>89.00</u>



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

MISC WIRE & CABLE, CONNECTOR BLOCKS & MISC EQUIPMENT (Con/t)

aa.	Cat 5, Patch Cord (2 Ft.) (RJ45S/RJ45S)	<u>North Supply / 966067</u>	\$ <u>2.50</u>
bb.	Cat 5, Patch Cord (3 Ft.) (RJ45S/RJ45S)	<u>North Supply / 966068</u>	\$ <u>3.00</u>
cc.	Cat 5, Patch Cord (4 Ft.) (RJ45S/RJ45S)	<u>North Supply / 966069</u>	\$ <u>3.25</u>
dd.	Cat 5, Patch Cord (7 Ft.) (RJ45S/RJ45S)	<u>North Supply / 966072</u>	\$ <u>3.50</u>
ee	110 Patch Panel Desi/Strips w/ Holder	<u>North Supply</u>	\$ <u>19.95</u>
ff.	Quad Face Plate	<u>Leviton / N/S 901061</u>	\$ <u>1.50</u>
gg.	RJ45S Jack / Category 5	<u>Leviton / N/S 901101</u>	\$ <u>8.95</u>
gg.	Universal 19" Rack (19" x 7" Free Standing Rack)	<u>Leviton / N/S 4143592</u>	\$ <u>249.00</u>
ii.	4' x 8' Backboard	<u>Anixter</u>	\$ <u>49.95</u>
jj.	4' x 8' Backboard	<u>Anixter</u>	\$ <u>49.95</u>

FIBER OPTIC CABLING:

a.	Fiber, 4 Stands CMP	<u>Seicor 004K81-31141-29</u>	\$ <u>1.45/ft.</u>
b.	Fiber, 6 Stands CMP	<u>Seicor 006K81-31141-29</u>	\$ <u>1.72/ft.</u>
c.	Fiber, 12 Stands CMP	<u>Seicor 0012K81-31141-29</u>	\$ <u>2.60/ft.</u>
d.	Fiber, 24 Stands CMP	<u>Seicor 0024K81-31141-29</u>	\$ <u>5.15/ft.</u>
e.	Fiber, 48 Stands CMP	<u>Seicor 0036K81-31141-29</u>	\$ <u>8.42/ft.</u>
f.	Fiber, 72 Stands CMP	<u>Seicor 0072K81-31141-29</u>	\$ <u>15.07/ft.</u>
g.	Fiber, 4 Stands CMR	<u>Seicor 004K81-31141-24</u>	\$ <u>1.41/ft.</u>
h.	Fiber, 6 Stands CMR	<u>Seicor 006K81-31141-24</u>	\$ <u>1.68/ft.</u>
i.	Fiber, 12 Stands CMR	<u>Seicor 0012K81-31141-24</u>	\$ <u>2.56/ft.</u>
j.	Fiber, 24 Stands CMR	<u>Seicor 0024K81-31141-24</u>	\$ <u>4.66/ft.</u>
k.	Fiber, 48 Stands CMR	<u>Seicor 0036K81-31141-24</u>	\$ <u>7.26/ft.</u>
l.	Fiber, 72 Stands CMR	<u>Seicor 0072K81-31141-24</u>	\$ <u>12.88/ft.</u>





SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

MISC WIRE & CABLE, CONNECTOR BLOCKS & MISC EQUIPMENT (Con/t)

m.	Fiber, 4 Stands OSP	<u>Seicor 004KW4-14110A20</u>	\$ <u>1.92/ft.</u>
n.	Fiber, 6 Stands OSP	<u>Seicor 006KW4-14110A20</u>	\$ <u>2.19/ft.</u>
o.	Fiber, 12 Stands OSP	<u>Seicor 012KW4-14110A20</u>	\$ <u>3.12/ft.</u>
p.	Fiber, 24 Stands OSP	<u>Seicor 024KW4-14110A20</u>	\$ <u>4.52/ft.</u>
q.	Fiber, 48 Stands OSP	<u>Seicor 048KW4-14110A20</u>	\$ <u>6.19/ft.</u>
r.	Fiber, 72 Stands OSP	<u>Seicor 072KW4-14110A20</u>	\$ <u>11.14/ft.</u>

INTERDUCT

a.	Interduct, 1" PVC	<u>Endocor 1050</u>	\$ <u>1.33/ft</u>
b.	Interduct, 1.25" PVC	<u>Endocor 1250</u>	\$ <u>1.47/ft</u>
c.	Interduct, 1.5" PVC	<u>Endocor 1500</u>	\$ <u>1.58/ft</u>
d.	Interduct, 1" Plenum	<u>Pyramid RIS100T</u>	\$ <u>3.75/ft</u>
e.	Interduct, 1" Plenum	<u>Pyramid RIS125T</u>	\$ <u>3.75/ft.</u>
f.	Interduct, 1" Plenum	<u>Pyramid RIS150T</u>	\$ <u>4.15/ft.</u>

FIBER OPTIC CONNECTORS AND CABINETS

a.	Cabinet, FO Seicor WIC-012 (Not Pre-loaded for 12 Strands)	<u>Seicor – WIC-012</u>	\$ <u>65.85 /ea</u>
b.	Cabinet, FO Seicor WIC-024 (Not Pre-loaded for 24 Strands)	<u>Seicor – WIC-024</u>	\$ <u>98.29 /ea</u>
c.	Cabinet, FO Seicor FDC-002 (Not Pre-loaded for 72 Strands)	<u>Seicor – FDC-002</u>	\$ <u>806.85 /ea</u>
d.	Connector Panel w/ 6 ST (Required for WIC-012 &024 only) (one per 6 F/O Strands)	<u>Seicor – FDC-CP1-25</u>	\$ <u>41.10 /ea</u>
e.	Connector Panel w/ 6 SC (Required for WIC-012 &024 only) (one per 6 F/O Strands)	<u>Seicor – FDC-CP1-57</u>	\$ <u>79.79 /ea</u>
f.	Connector Panel w/ 6 ST (Required for FDC-002 only) (one per 6 F/O Strands)	<u>Seicor – FDC-CP1P-25</u>	\$ <u>41.10 /ea</u>



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

MISC WIRE & CABLE, CONNECTOR BLOCKS & MISC EQUIPMENT (Con/t)

g.	Connector Panel w/ 6 SC (Required for FDC-002 only) (one per 6 F/O Strands)	<u>Seicor – FDC-CP1P-39</u>	\$ <u>79.79 /ea</u>
h.	Connector / ST Hot Melt 3M	<u>3M – 6200</u>	\$ <u>24.64 /ea</u>
i.	Connector / SC Hot Melt 3M	<u>3M – 6300</u>	\$ <u>27.53 /ea</u>

FIBER OPTIC CABLE TESTING:

a.	OTDR Testing / per F/O Stand (light only)	\$ <u>9.59 / Strand</u>
----	---	-------------------------

CONDUIT INSTALLATION:

a.	Labor & Material to Install 1" EMT <u>1.99 / Ft</u>	\$ _____
b.	Labor & Material to Install 2" EMT	\$ <u>2.74 / Ft</u>
c.	Labor & Material to Install 2" PVC	\$ <u>6.51 / Ft</u>
d.	Labor & Material to Install 4" PVC	\$ <u>7.47 / Ft</u>

NOTES / FIBER CABLING:

1. Customer provided conduit must be free of obstructions with pull strings.
2. Above pricing does not include firewall sleeving, exterior wall penetration
Or concrete/asphalt cutting and patching.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

		<u>Part Number</u>	<u>Unit Purchase Price</u>
B. <u>Interbuilding</u>			
Type 5	6 Pair Duct	<u>E-000624DFC</u>	\$ <u>.74</u> /Ft. (1-7)
Type 6	12 Pair Duct	<u>E-001224DFC</u>	\$ <u>.87</u> /Ft. (1-7)
Type 7	25 Pair Duct	<u>E-002524DFC</u>	\$ <u>1.10</u> /Ft. (1-7)
Type 8	50 Pair Duct	<u>E-005024DFC</u>	\$ <u>1.55</u> /Ft. (1-7)
Type 9	100 Pair Duct	<u>E-010024DFC</u>	\$ <u>2.43</u> /Ft. (1-7)
Type 10	6 Pair Buried	<u>E-000624DFC</u>	\$ <u>4.40</u> /Ft. (1-7)
Type 11	12 Pair Buried	<u>E-001224DFC</u>	\$ <u>4.52</u> /Ft. (1-7)
Type 12	25 Pair Buried	<u>E-002524DFC</u>	\$ <u>4.76</u> /Ft. (1-7)
Type 13	50 Pair Buried	<u>E-005024DFC</u>	\$ <u>5.21</u> /Ft. (1-7)
Type 14	100 Pair Buried	<u>E-010024DFC</u>	\$ <u>6.12</u> /Ft. (1-7)
C. <u>Surge Protector Block End Termination</u>			
6 Pair Surge Protector Block		ATT <u>131058\106805</u>	\$ <u>141.53</u> (1-17)
12 Pair Surge Protector Block		ATT 131058\106805 <u>131058\106805</u>	\$ <u>215.43</u> (1-18)
25 Pair Surge Protector Block		ATT <u>131078\106805</u>	\$ <u>305.20</u> (1-19)
50 Pair Surge Protector Block		ATT <u>132798\106805</u>	\$ <u>668.93</u> (1-20)
100 Pair Surge Protector Block		ATT <u>125085\106805</u>	\$ <u>1,091.27</u> (1-21)



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

	<u>Number</u>	<u>Unit Purchase Price</u>
<u>PABX Station Lines - Additional Quantities (See 3.25.4)</u>		
A. Station Lines, Analog, Industry Standard Generic Single Line and Multi-Line "KSU less" Voice Terminal, <u>16</u> # Lines (or <u>16</u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module.	<u>NT8D09BA</u>	\$ <u>1,605.92</u> (1-22)
B. Station Lines, Digital, Proprietary, Single and Multi-Line Voice Terminal, <u>16</u> # Lines (or <u>16</u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module.	<u>NT8D02GA</u>	\$ <u>1,605.92</u> (1-23)*
C. Station Lines, Digital, DTEIAU and DTEIU <u>16</u> # Lines (or <u>16</u> (#) Ports) per Printed Circuit P.C.) Card Module. Cost per P.C. Card Module.	<u>NT8D02GA</u>	\$ <u>1,605.92</u> (1-24)
D. Station Lines, Analog, Proprietary, Single and Multi-Line Voice Terminal, <u>16</u> # Lines (or <u>16</u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module.	<u>NT8D09BA</u>	\$ <u>1,605.92</u> (1-23)*
E. This Space Left Blank		
F. Station Lines, Off Premise Extension, Analog, Single Line Voice Terminals, <u>16</u> # Lines (or <u>16</u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module.	<u>NT8D09BA</u>	\$ <u>1,605.92</u>



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

	<u>Number</u>	<u>Unit Purchase Price</u>
<u>PABX Station Lines - Additional Quantities</u>		
G. Station Lines, Other		
<u>Description</u>		
<u> N/A</u>	<u> N/A</u>	\$ <u> N/A</u>
<u> N/A</u>	<u> N/A</u>	\$ <u> N/A</u>
<u> N/A</u>	<u> N/A</u>	\$ <u> N/A</u>

FOR ADDITIONAL STATION LINES AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG .

(Attach additional pages if necessary.)
 *One of these items must be bid.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

<u>PABX Trunks Additional Quantities</u> (See 3.25.5)	<u>Part Number</u>	<u>Unit Purchase Price</u>
A. Exchange Trunks, 2-Wire, <u> 8 </u> (#) Trunks (or <u> 8 </u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module	<u>NT8D14BB</u>	\$ <u>1,665.00</u> (1-25)
B. DID Trunks, <u> 8 </u> (#) Trunks (or <u> 8 </u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module	<u>NT8D14BB</u>	\$ <u>1,665.00</u> (1-26)
C. E & M Tie Trunks, 2-Wire, <u> 4 </u> (#) Trunks (or <u> 4 </u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module	<u>NT8D15AK</u>	\$ <u>1,240.00</u>
D. E & M Tie Trunks, 4-Wire, <u> 4 </u> (#) Trunks (or <u> 4 </u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module	<u>NT8D15AK</u>	\$ <u>1,240.00</u>
E. CCSA SUNCOM Trunks, 4-Wire, <u> 4 </u> (#) Trunks (or <u> 4 </u> (#) Ports) per Printed Circuit (P.C.) Card Module. Cost per P.C. Card Module	<u>NT8D15AK</u>	\$ <u>1,240.00</u> (1-27)



**SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1**

	<u>Manufacturer/Part Number</u>	<u>Unit Purchase Price</u>
<u>MDF Trunk Wiring - Additional Quantities (See 3.25.6)</u>		
A. 1 Pair, Cost/Trunk		\$ <u>N/C</u> (1-28)
B. 2 Pair, Cost/Trunk		\$ <u>N/C</u>
C. 3 Pair, Cost/Trunk		\$ <u>N/C</u> (1-29)

<u>MDF Station Wiring - Additional Quantities</u>		
A. <u>1</u> Pair, Cost/Station Line For Proprietary VSTL & VTMLA		\$ <u>N/C</u> (1-30)
B. <u>1</u> Pair, Cost/Station Line For Industry Standard Generic VSTL & VTMLA		\$ <u>N/C</u> (1-31)
C. <u>1</u> Pair, Cost/Station Line For DTEIU		\$ <u>N/C</u> (1-32)

<u>Attendant Consoles - Additional Quantities (See 3.25.8)</u>		
A. Attendant Console(M2250) Note: Requires ports on DLC.	<u>NT6G00AF</u>	\$ <u>2,689.00</u> (1-33)

<u>Attendant Console Wiring (See 3.25.9)</u>		
A. Inside Standard, Cost/Foot (<u>25</u> # Pair)	<u>D2542D0-GY02</u>	\$ <u>.96</u> /Ft.
B. Inside Air Plenum, Cost/Foot (<u>25</u> # Pair)	<u>VXV25241902</u>	\$ <u>1.25</u> (1-34)

<u>Data Terminal Equipment Interface Adapter Unit (DTEIAU) (See 3.25.10)</u>		
A. Up to 19.2 Kbps Asynchronous (Note 1)	<u>NT2K65XR</u>	\$ <u>183.00</u> (1-35)
B. Up to 19.2 Kbps Synchronous (Note 1)	<u>NT2K65XR</u>	\$ <u>183.00</u> (1-36)

Note 1. Requires NT2K10WD P/S Bd & A0367335 110vac Wall Transformer)
(Compatible with Digital M2006, M2008, M2216, M2216, M5317 sets)



**SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1**

	<u>Manufacturer PartNumber</u>	<u>UnitPurchase Price</u>
<u>Data Terminal Equipment Interface</u>		
<u>Unit (DTEIU) (See 3.25.11)</u>		
A. Up to 19.2 Kbps Asynchronous (Note 1)	<u>NTND36AA</u>	\$ <u>518.00</u> 1-37)
B. Up to 19.2 Kbps Synchronous	<u>NTND36AA</u>	\$ <u>518.00</u> 1-38)

Other Equipment* **FOR ADDITIONAL PRODUCT LISTINGS, PLEASE SEE SPRINT**
(See 3.25.12) **STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG .**

<u>Description</u>		
A. M2008 Business Set	<u>NT9K08AA</u>	\$ <u>190.00</u>
B. M2008HF Business Set	<u>NT9K08AB</u>	\$ <u>225.00</u>
C. M2008HF Business Set w/Display	<u>NT9K08AC</u>	\$ <u>315.00</u>
D. M2616 Business Set	<u>NT9K16AA</u>	\$ <u>345.00</u>
E. M2616 Bus Set w/Display	<u>NT9K16AC</u>	\$ <u>435.00</u>
F. M2216 Business Set Basic ACD	<u>NT9K18AC</u>	\$ <u>435.00</u>
G. Key Expansion Module (22 Button)	<u>NT2K22VH</u>	\$ <u>165.00</u>
H. Single Key Expansion Module Footstand	<u>PO780135</u>	\$ <u>10.00</u>
I. Double Key Expansion Module Footstand	<u>PO780235</u>	\$ <u>15.00</u>
J. M3901 Telephone	<u>NTNM31BB</u>	\$ <u>105.00</u>
K. M3902 Telephone	<u>NTMN32BB</u>	\$ <u>165.00</u>
L. M3903 Telephone	<u>NTMN33BB</u>	\$ <u>289.00</u>
M. M3904 Telephone	<u>NTMN34BB</u>	\$ <u>445.00</u>
O. M3905 Telephone	<u>NTMN35BB</u>	\$ <u>445.00</u>
P. Key Expansion Module (M3900 Serie)	<u>NTMN37BA</u>	\$ <u>149.00</u>
Q. Foot-stand (M3901, M3902)	<u>NTMN13AA</u>	\$ <u>19.95</u>
R. Foot-stand (M3903, M3904, M3905)	<u>NTMN14AA</u>	\$ <u>19.95</u>
S. M8001 Analog Business Set (S/L)	<u>A049275</u>	\$ <u>65.00</u>
T. M8314 S/L H/F Analog Bus Set	<u>A0400007</u>	\$ <u>171.00</u>
U. M9216 S/L Analog Bus Set-Name	<u>A0402092</u>	\$ <u>171.00</u>
V. M9316 S/L Analog Set-Name/HF	<u>A0402030</u>	\$ <u>185.00</u>
W. M9416 2/L Analog Set-Name/HF	<u>A0405952</u>	\$ <u>218.00</u>
X. Liberation Class Binaural/UNC / MPA	<u>A0378008</u>	\$ <u>155.00</u>
Y. Liberation Class Monaural/UNC / MPA	<u>A0378154</u>	\$ <u>182.00</u>
Z. Carbon Earhook / Monaural	<u>A0378005</u>	\$ <u>192.00</u>
AA. Carbon Earhook / Binaural	<u>A0378153</u>	\$ <u>245.00</u>
BB. Meridian Communications Adapter (MCA) (Requires a A068864 Transformer and is compatible with Meridian Modular Telephones)	<u>NT2K65XJ</u>	\$ <u>275.00</u>
CC. Wall Transformer / 110vac	<u>A068864</u>	\$ <u>24.95</u>
DD. Liberation Class Single/Monaural Head/set	<u>A0378009</u>	\$ <u>139.00</u>
EE. Meridian Power Supply Board	<u>NT2K10WD</u>	\$ <u>85.00</u>
FF. Meridian 110 VAC Transformer	<u>A0367335</u>	\$ <u>29.00</u>

(Attach additional pages if necessary.)

*Application notes must accompany any items listed.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

	Unit Purchase Price
<u>Additional Operational Software Service Features</u> (See 3.25.13)	
A. Authorization Code	\$ 65.00 (1-39)
B. CCSA SUNCOM Trunks	\$ N/C (1-40)
C. Customer Administration	\$ N/C (1-41)
D. Direct Digital Interface (T-1)	\$ N/C (1-42)
E. Direct Inward Dialing	\$ N/C (1-43)
F. Direct Inward System Access (DISA)	\$ N/C (1-44)
G. DISA Code Set-up	\$ N/C (1-45)
H. Distinctive Ring	\$ N/C (1-46)
I. Intercept, DID	\$ N/C (1-47)
J. Intercept, Did, to Recorder	\$ N/C (1-48)
K. Least Cost Routing - Modified	\$ 265.00 (1-49)
L. Music On Hold	\$ N/C (1-50)
M. Off-Premise Station	\$ N/C (1-51)
N. Outgoing Trunk Queuing	\$ N/C (1-52)
O. Power and/or Common Control Failure Transfer	\$ N/C (1-53)
P. Remote Administration	\$ N/C (1-54)
Q. Remote Testing	\$ N/C (1-55)
R. Restrictions - Origination	\$ N/C (1-56)
S. Restrictions - Termination	\$ N/C (1-57)
T. Restrictions - Toll 3/6 Digit	\$ N/C (1-58)



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

Unit Purchase
Price

Additional Operational Software Service Features
(See 3.25.13)

U. Speakerphone	\$ <u>N/C</u> _____ (1-59)
V. Speed Calling	\$ <u>N/C</u> _____ (1-60)
W. Station Message Detail	\$ <u>N/C</u> _____ (1-61)
X. Tie-Trunks	\$ <u>N/C</u> _____ (1-62)
Y. Traffic Measurement	\$ <u>N/C</u> _____ (1-63)
Z. Voice Paging Access	\$ <u>N/C</u> _____ (1-64)
AA. Modem Pooling	\$ <u>N/C</u> _____ (1-65)
BB. ISDN Component of Baseline Cost (See 3.2.1.1) *	\$ <u>N/C</u> _____ (1-66)
CC. T1 Component of Baseline Cost (See 3.2.1.2.) *	\$ <u>N/C</u> _____ (1-67)

NOTE: *ISDN and T1 Hardware and Software Features
have been priced as separate options.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

	<u>Manufac-turer</u> <u>Model No.</u>	<u>Unit Purchase</u> <u>Price</u>
<u>Administrative Equipment</u> (See 3.25.14)	OTM General Server w/ PC	\$ 4,265.00 (1-66)
<u>Direct Digital Interface (T1) Equipment</u> (See 3.25.15) Note: Requires CSU, Clock Controller & must be in slot 1-9 of base cabinet.	NTSF6800	\$ 2,136.00 (1-67)
<u>Intercept Announcer Equipment</u> (See 3.25.16)	Interalia / V11 single chnl	\$ 526.00 (1-68)
<u>Music-On-Hold Interface Equipment</u> (See 3.25.17) NOTE: Uses a port on UTC (NT8D14BB).	N/A	\$ N/C (1-69)
<u>Power and/or Common Control Failure Transfer Equipment</u> (See 3.25.18) (Note: Unit for up to 8 Circuits)	A0355200	\$ 508.00 (1-70)
<u>Remote Administration Interface Equipment</u> (See 3.25.19) NOTE: Uses a port on UTC (NT8D14BB)	US Robotics Modem/150156	\$ 222.00 (1-71)
<u>Remote Testing Interface Equipment</u> (See 3.25.20)	US Robotics Modem/150156	\$ 222.00 (1-72)
<u>Speakerphone Equipment</u> (See 3.25.21)	A04000007	\$ 139.00 (1-73)
<u>Traffic Recording Equipment</u> (See 3.25.22) NOTE: Requires OTM Server - see 3.25.14	OTM Traffic Module	\$ 3,045.00 (1-74)
<u>Voice Paging Access Interface Equipment</u> (See 3.25.23) NOTE: Uses a port on UTC (NT8D14BB)	N/A	\$ N/C (1-75)
<u>Modem Pooling Equipment</u> (See 3.25.24)		
A. Asynchronous In/Out Note: Modem requires Port on ALC.	NT7D16AB	\$ 925.00 (1-76)
B. Synchronous In/Out Note: Requires port on DLC.	NTND36AA	\$ 682.00 (1-77)
<u>MDF Trunk Feeder Cable In Excess of Twenty-Five Feet</u> (See 3.25.25)	D2524D0-GY02	\$.96 /Ft.(1-78)



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

	Manufacturer Model No.	Unit Purchase Price
<u>Expansion of Baseline PABX</u> (See 3.3)		
<u>List of Expansion Items</u> (FOR ADDITIONAL EQUIPMENT ITEMS, SEE SPRINT/STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG)		
A. <u>Expansion Cabinet Assembly</u>	<u>NTSF2001</u>	\$ <u>2,153.00</u> (1-79)
B. <u>Additional 100 TNs</u>	<u>NTSF8101</u>	\$ <u>1,288.00</u> (1-79)
C. <u>N/A</u>	<u>N/A</u>	\$ <u>N/C</u> (1-79)

FOR ADDITIONAL EXPANSION ITEMS AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG .

9-1-1 CAMA Trunk Interface
(See 3.25.26)

A. CAMA Trunk Arrangement Note: CAMA trunk can be terminated On E&M Tie Trunk Card (NT8D15AK), However, for the PABX to interface A CAMA trunks arrangement, a DLC Port and a M2626 set must be Connected to a Teledent 911STS unit. (See optional equipment)	<u>N/A</u>	\$ <u>N/C</u> (1-80)
B. ISDN Trunk Arrangement NOTE: ISDN requires Enhanced Business Software (NTSF8201), DTI Port and DTI Equipment (see (3.25.15)	<u>NTAK93AB</u>	\$ <u>789.00</u> (1-81)

(Attach additional pages if necessary.)

FOR ADDITIONAL EXPANSION ITEMS AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG.



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

Optional Software Operational Service Features
(See 3.26.1)

A. Automatic Identification of Outward Dialing	\$ <u>N/A</u>
B. Automatic Trunk Testing	\$ <u>N/A</u>
C. Call Park	\$ <u>N/C</u>
D. Class of Service Day/Night	\$ <u>N/C</u>
E. Control of Trunk Group Access	\$ <u>N/C</u>
F. Data Security	\$ <u>N/C</u>
G. Dictation Access	\$ <u>N/C</u>
H. Direct-In Termination	\$ <u>N/C</u>
I. Executive Override	\$ <u>N/C</u>
J. Least Cost Routing - 3/6 Digit	\$ <u>265.00</u>
K. Radio Pocket Paging	\$ <u>N/C</u>
L. Redundancy	\$ <u>N/A</u>
M. Single Digit Dialing (Group Alert)	\$ <u>N/C</u>
N. Tandem Switching	\$ <u>N/C</u>
O. Tenant Service (S/W NTFS8021) Note: For 1st 200 TNs	\$ <u>1,795.00</u>
P. Uniform Call Distribution(S/W NTFS8021) Note: for 1st 200 TNs	\$ <u>1,795.00</u>
Q. Voice Mail	\$ <u>N/C</u>
R. Enhanced Business Software (NTSF8021) Note: First 200 TNs.	\$ <u>1,795.00</u>
S. Additional Enhanced TNs (NTSF8102) Note: Per 100 TNs.	\$ <u>2,060.00</u>

FOR ADDITIONAL EXPANSION ITEMS AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG.



**SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1**

	Manufacturer/ Model #	
<u>Automatic Call Distribution (ACD) Equipment (See 3.26.2)</u> Note: Requires Enhanced Bus Software (NTSF8021)and SDI port	WYSE 520 w/KXP-3123	\$ 1,495.00
<u>Automatic Identification of Outward Dialing Interface Equipment (See 3.26.2)</u>	N/A	\$ N/A
<u>Automatic Trunk Testing Equipment (See 3.26.3)</u>	N/A	\$ N/A
<u>Dictation Access Interface Equipment (See 3.26.4)</u> NOTE: Uses a port on UTC (NT8D14AB-8)	N/A	\$ N/A
<u>Radio Pocket Paging Interface Equipment (See 3.26.5)</u> NOTE: Uses a port on UTC (NT8D14AB-8)	N/A	\$ N/A
<u>Redundancy Equipment (See 3.26.6)</u>	N/A	\$ N/A
<u>Station Message Detail Accounting Equipment (See 3.26.7)</u> Note: Requires SMDR and SDI Port.	See BOL/OTM Pricing	\$ **
<u>Uninterruptible Power Supply (UPS) Equipment (See 3.26.8)</u>	Alpha CFR1500 W/EBP48A BATT	\$ 2,400.00
<u>Voice Mail Equipment (See 3.26.9)</u>		
A. Meridian Mail w/ A. Attn, 4 Ports / 5 Hrs	NTCZ49AA	\$ 8,395.00
B. Misc Meridian Mail Storage & Labor		
1. M/M Add'l 2 Port Card W/ 2 RTU Fees	AS 7120	\$ 2,795.00
2. M/M Storage AddL (Level 1 to 2) (5 TO 10 Hrs)	SW 7102	\$ 995.00
3. M/M Storage Addl (Level 2 to 3) (10 TO 24 Hrs)	SW 7103	\$ 1,995.00
4. M/M Storage Addl (Level 3 to 4) (24TO 54 Hrs)	SW 7104	\$ 1,995.00
5. M/M Transaction Fee (per MM upgrade)	SERV0019	\$ 750.00
6. M/M Mailbox Set-Up (per Mail Boxes)	M/M Mail Boxes	\$ 25.00
C. Octel/Performer Voice Mail/A. Attn w/ 4 Pts 30 Hrs & 12 Chnl DMID	*Performer	\$ 11,995.00

(Attach additional pages if necessary.)



**SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1**

Voice Mail Equipment

(See 3.26.9)

D.	Octel/Performer Voice Mail/A. Attn w/8 Pts 30 Hrs & 12 Chnl DMID	* <u>Performer</u>	\$ <u>15,995.00</u>
E.	Octel/Performer Voice Mail/A. Attn w/12 Pts 30 Hrs & 12 Chnl DMID	* <u>Performer</u>	\$ <u>16,995.00</u>
F.	Octel Performer 4 to 8 Pt Expansion Card	* <u>Performer</u>	\$ <u>3,995.00</u>
G.	Octel Performer 8 to 12 Pt Expansion Card	* <u>Performer</u>	\$ <u>3,995.00</u>

Note: Octel DMID requires 2 Digital ports on
DLC and 1 Analog port per V/M port
on Analog Line Card.

Other Equipment Features

(See 3.27)

Description

A.	Option 11 ISDN Package <u>Note:</u> ISDN Pkg for 1st 200 TNs and requires additional Enhanced Bus S/W (NTSF8021) per 100 TNs equipped.	NTSF6800 NTSF8021 <u>NTAK93AB</u>	\$ <u>4,296.00</u>
B.	911 Call Delivery Equipment <u>Note:</u> Requires SMDR and CAMA 911 trunks	Teledent <u>911-ST5</u>	\$ <u>19,995.00</u>
C.	BRI Package Components <u>Note:</u> Requires PRI Hardware & Software and E. Bus S/W per 100 TNs.		
a.	MISP Circuit Card	<u>NTBK22AA</u>	\$ <u>1,875.00</u>
b.	ATI Standalone NTI w/ 10W P/S.	<u>TEC01910</u>	\$ <u>245.00</u>
c.	ATI Standalone NTI w/ 2W P/S.	<u>TEC01903</u>	\$ <u>200.00</u>
d.	Rack Mt NT-1 Star Card	<u>NTBX84BA</u>	\$ <u>215.00</u>
e.	Rack Mt NT-1 Module	<u>NTBX83BA</u>	\$ <u>675.00</u>
f.	Rack Mt NT-1 Power Module	<u>NTBX86BA</u>	\$ <u>325.00</u>
g.	Rack Mt NT-1 Shelf	<u>NTBX82BA</u>	\$ <u>325.00</u>
h.	ISDN Term Resistor	<u>A037886</u>	\$ <u>25.00</u>
I.	S/T Interface Card (SILC)	<u>NT6D70A</u>	\$ <u>1,875.00</u>
J.	U-Interface Line Card (ULIC)	<u>NT6D71AA</u>	\$ <u>2,100.00</u>

(Attach additional pages if necessary.)

**NOTE: FOR ADDITIONAL ITEMS AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA
PRODUCTS AND SERVICES CATALOG.**



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

Other Equipment Features

(See 3.27)

Description

EE. VALCOM PAGING SYSTEM

a. 3-Zone Control Unit	<u>V-2003</u>	\$ <u>350.00</u>
b. .6 Amp Power Supply	<u>VP-624</u>	\$ <u>150.00</u>
c. Two Amp Power/Supply	<u>VP-2024</u>	\$ <u>250.00</u>
d. One/Way Ceiling Speaker	<u>V1020C</u>	\$ <u>150.00</u>
e. Ceiling Speaker Back/Box	<u>V9915</u>	\$ <u>16.00</u>
f. Ceiling Speaker Bridge	<u>V9914</u>	\$ <u>12.00</u>
g. Outdoor 5/Watt Horn	<u>V-1030C</u>	\$ <u>225.00</u>
h. One/Way Wall Speaker	<u>V-1023C</u>	\$ <u>150.00</u>
i. Valcom V-9020 , 1'X2' Lay-In Speaker	<u>V9020 / 002474</u>	\$ <u>130.00</u>
J. Valcom V-9020 , 2'X2' Lay-In Speaker	<u>V9020 / 303574</u>	\$ <u>150.00</u>

DD. Plantronics Headset	H51/M10 <u>A451649</u>	\$ <u>199.00</u>
-------------------------	---------------------------	------------------

NOTE: FOR ADDITIONAL ITEMS AND OTHER PRODUCTS, SEE SPRINT STATE OF FLORIDA PRODUCTS AND SERVICES CATALOG .



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

Maintenance, Follow-On

**Baseline System (See Special Conditions -
Maintenance) Monday - Friday, 8:00 A.M. -
5:00 P.M., excluding State Holidays,
(Monthly Rate)**

Follow-On Maintenance, 1 st Year	\$ <u>200.00</u> (1-MB)
Follow-On Maintenance, 2 nd Year	\$ <u>235.00</u>
Follow-On Maintenance, 3 rd Year	\$ <u>260.00</u>
Follow-On Maintenance, 4 th Year	\$ <u>285.00</u>

**Monday through Sunday Service
(8:00 A.M. - 5:00 P.M.)**

Including State Holidays

(See Special Condition - Maintenance Plan A)

Percentage Increase Over Standard Maintenance

(Monday through Friday 8:00 A.M. - 5:00 P.M.) Cost \$ 25%

Monday through Sunday Service

24 Hour Service

Including State Holidays

(See Special Condition - Maintenance Plan B)

Percentage Increase Over Standard Maintenance

(Monday through Friday 8:00 A.M. - 5:00 P.M.) Cost \$ 40%

Additional Services (See Special Condition)

(Price Per Hour) or Per Occurrence (Circle One)

During Warranty Period \$ 65.00 (1-ASW)

During Follow-On Maintenance, 1st Year \$ 65.00 (1-ASI)

During Follow-On Maintenance, 2nd Year \$ 75.00

During Follow-On Maintenance, 3rd Year \$ 85.00

During Follow-On Maintenance, 4th Year \$ 95.00

Technician Training (See Special Conditions)

Cost/Person (Excluding Travel and Per Diem)

\$ 1,165.00

(NTI Meridian Familiarization Course #200)

NOTE: See attached list of NTI training courses.

**Unit Trip Charge (See Special Conditions -
Additional Services) **Cost Per Trip****

\$ 30.00 (1-TC)

**Software Reconfiguration Charges (Cost Per
Occurrence) (PTION 11C / Per Transaction w/i Package)
(See Special Conditions)**

\$ 750.00 (1-SRC)



SPRINT/STATE OF FLORIDA PRICE SHEET
ACCESSORIES & FEATURES
CONFIGURATION 1

Programming Training (See Special Conditions)
Cost/Person (Excluding Travel & Per Diem) \$ 2,250.00
(NTI/Meridian Data Base Admin Class / Course #300)
NOTE: See Attached List of NTI Training Courses)

Existing Wire and Cable (See Special Conditions)
(**Cost Per Hour**) or Per Occurrence (Circle One)
to Test and Buzz-Out \$ 65.00

Existing Equipment (See Special Conditions)
Cost Per Hour to Remove \$ 65.00

Post Warranty or Post Maintenance Contract
Maintenance (See Special Conditions; Prices
and "Bidding Instructions.")

Trip Charge \$ 40.00

Cost Per Hour \$ 90.00